

# Revision history of "Book:Getting started with Semantic MediaWiki"



## Table of contents

1 Semantic MediaWiki Basics .....	3
2 Example: Customer data .....	6
2.1 Define properties .....	6
2.2 Create a template .....	7
2.3 Create a form .....	8
2.4 Integrate form edit mode .....	9
3 Template styling .....	10
4 Query the data .....	11
5 Naming conventions .....	12

# 1 Semantic MediaWiki Basics

Search for revisions From year (and earlier): From month (and earlier): [Tag](#) filter:

Diff selection: Mark the radio boxes of the revisions to compare and hit enter or the button at the bottom.

Legend: **(cur)** = difference with latest revision, **(prev)** = difference with preceding revision, **m** = minor edit.

- [\(cur | prev\)](#)16:43, 22 December 2021

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (2,950 bytes) (-150) . . ([Tag](#): 2017 source edit) [automatically approved] [Reviewed: 16:43, 22 December 2021 | [MLR](#) ]

- [\(cur | prev\)](#)14:38, 18 June 2021

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (3,100 bytes) (+24) . . ([Tag](#): Visual edit) [automatically approved] [Reviewed: 14:38, 18 June 2021 | [MLR](#) ]

- [\(cur | prev\)](#)14:10, 18 June 2021

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (3,076 bytes) (+126) . . ([Tag](#): Visual edit) [automatically approved] [Reviewed: 14:10, 18 June 2021 | [MLR](#) ]

- [\(cur | prev\)](#)08:04, 31 March 2021

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (2,950 bytes) **(-807)** . . ([Tag](#): Visual edit) [approved by [MLR](#)] [Reviewed: 08:04, 31 March 2021 | [MLR](#) ]

- [\(cur | prev\)](#)08:38, 7 January 2021

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) [m](#) . . (3,757 bytes) (+50) . . ([Tag](#): Visual edit) [approved by [MLR](#)] [Reviewed: 08:38, 7 January 2021 | [MLR](#) ]

- [\(cur | prev\)](#)08:36, 7 January 2021

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) [m](#) . . (3,707 bytes) (0) . . ([Tag](#): Visual edit) [approved by [MLR](#)] [Reviewed: 08:36, 7 January 2021 | [MLR](#) ]

- [\(cur | prev\)](#)08:59, 22 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (3,707 bytes) (+65) [approved by [MLR](#)] [Reviewed: 09:11, 22 December 2020 | [MLR](#) ]

- [\(cur | prev\)](#)17:14, 21 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (3,642 bytes) (-12) . . ([Tag](#): Visual edit) [approved by [MLR](#)] [Reviewed: 17:14, 21 December 2020 | [MLR](#) ]

- ([cur](#) | [prev](#))17:09, 21 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (3,654 bytes) (+322) . . ([Tag](#): 2017 source edit) [approved by [MLR](#)]  
[Reviewed: 17:09, 21 December 2020 | [MLR](#) ]

- ([cur](#) | [prev](#))08:52, 21 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (3,332 bytes) **(+3,332)** . . (Created page with "==Scope and Terminology== Semantic MediaWiki (SMW) is a MediaWiki extension that enables you to define and query data on a wiki page. The following steps are necessary: #'"..."") ([Tag](#): [Visual edit](#))

## 2 Example: Customer data

Search for revisions From year (and earlier): From month (and earlier): Tag filter:

Diff selection: Mark the radio boxes of the revisions to compare and hit enter or the button at the bottom.

Legend: **(cur)** = difference with latest revision, **(prev)** = difference with preceding revision, **m** = minor edit.

- (cur | prev)08:59, 22 December 2020

Mlink-rodrique (talk | contribs) . . (2,893 bytes) (+65) [approved by MLR] [Reviewed: 09:11, 22 December 2020 | MLR ]

- (cur | prev)08:32, 22 December 2020

Mlink-rodrique (talk | contribs) . . (2,828 bytes) (+41) . . (Tag: Visual edit) [approved by MLR] [Reviewed: 08:32, 22 December 2020 | MLR ]

- (cur | prev)08:31, 22 December 2020

Mlink-rodrique (talk | contribs) . . (2,787 bytes) (+37) . . (Tag: 2017 source edit) [approved by MLR] [Reviewed: 08:31, 22 December 2020 | MLR ]

- (cur | prev)08:27, 22 December 2020

Mlink-rodrique (talk | contribs) . . (2,750 bytes) (+10) . . (Tag: Visual edit)

- (cur | prev)09:47, 21 December 2020

Mlink-rodrique (talk | contribs) . . (2,740 bytes) (+7) . . (Tag: 2017 source edit)

- (cur | prev)09:32, 21 December 2020

Mlink-rodrique (talk | contribs) . . (2,733 bytes) **(+2,733)** . . (Created page with "In this exampla for SMW, we create a query for customer data. The collected information is shown at the beginning of each customer page. <br /> Date:screenshot-Vorlage.pn...") (Tag: Visual edit)

## 2.1 Define properties

Search for revisions From year (and earlier): From month (and earlier): Tag filter:

Diff selection: Mark the radio boxes of the revisions to compare and hit enter or the button at the bottom.

Legend: **(cur)** = difference with latest revision, **(prev)** = difference with preceding revision, **m** = minor edit.

- (cur | prev)08:59, 22 December 2020

Mlink-rodrique (talk | contribs) . . (2,893 bytes) (+65) [approved by MLR] [Reviewed: 09:11, 22 December 2020 | MLR ]

- (cur | prev)08:32, 22 December 2020

Mlink-rodrique (talk | contribs) . . (2,828 bytes) (+41) . . (Tag: Visual edit) [approved by MLR] [Reviewed: 08:32, 22 December 2020 | MLR ]

- (cur | prev)08:31, 22 December 2020

Mlink-rodrique (talk | contribs) . . (2,787 bytes) (+37) . . (Tag: 2017 source edit) [approved by MLR] [Reviewed: 08:31, 22 December 2020 | MLR ]

- (cur | prev)08:27, 22 December 2020

Mlink-rodrique (talk | contribs) . . (2,750 bytes) (+10) . . (Tag: Visual edit)

- (cur | prev)09:47, 21 December 2020

Mlink-rodrique (talk | contribs) . . (2,740 bytes) (+7) . . (Tag: 2017 source edit)

- (cur | prev)09:32, 21 December 2020

Mlink-rodrique (talk | contribs) . . (2,733 bytes) **(+2,733)** . . (Created page with "In this exampla for SMW, we create a query for customer data. The collected information is shown at the beginning of each customer page. <br /> Date:screenshot-Vorlage.pn...") (Tag: Visual edit)

## 2.2 Create a template

Search for revisions   From year (and earlier):   From month (and earlier): [Tag](#) filter:

Diff selection: Mark the radio boxes of the revisions to compare and hit enter or the button at the bottom.

Legend: **(cur)** = difference with latest revision, **(prev)** = difference with preceding revision, **m** = minor edit.

- [\(cur | prev\)](#)09:00, 22 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (3,200 bytes) (+65) [approved by [MLR](#)] [Reviewed: 09:12, 22 December 2020 | [MLR](#) ]

- [\(cur | prev\)](#)08:35, 22 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (3,135 bytes) (-5) . . ([Tag](#): 2017 source edit) [approved by [MLR](#)] [Reviewed: 08:35, 22 December 2020 | [MLR](#) ]

- [\(cur | prev\)](#)08:34, 22 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (3,140 bytes) (+94) . . ([Tag](#): 2017 source edit) [approved by [MLR](#)] [Reviewed: 08:34, 22 December 2020 | [MLR](#) ]

- [\(cur | prev\)](#)10:31, 21 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (3,046 bytes) **(+3,046)** . . (Created page with "



{\displaystyle}

Create a template}}<div class="steps">==Create the display template== To create the template, we go to the page "Special:Create template". On this page, we..." ([Tag](#): 2017 source edit)

## 2.3 Create a form

Search for revisions From year (and earlier): From month (and earlier): [Tag](#) filter:

Diff selection: Mark the radio boxes of the revisions to compare and hit enter or the button at the bottom.

Legend: **(cur)** = difference with latest revision, **(prev)** = difference with preceding revision, **m** = minor edit.

- [\(cur | prev\)](#)09:00, 22 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (2,893 bytes) (+65) [approved by [MLR](#)] [Reviewed: 09:12, 22 December 2020 | [MLR](#) ]

- [\(cur | prev\)](#)08:37, 22 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (2,828 bytes) (+92) . . ([Tag](#): 2017 source edit) [approved by [MLR](#)] [Reviewed: 08:37, 22 December 2020 | [MLR](#) ]

- [\(cur | prev\)](#)15:14, 21 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (2,736 bytes) (+348) . . ([Tag](#): [Visual edit](#))

- [\(cur | prev\)](#)13:46, 21 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (2,388 bytes) **(-903)** . . ([Tag](#): 2017 source edit)

- [\(cur | prev\)](#)10:35, 21 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (3,291 bytes) **(+3,291)** . . (Created page with "With the page "Special: CreateForm", you now create the data entry form. Datei:Formular-erstellen1. png|alternativtext=Spezialseite: Formular erstellen|zentriert|mini|600x6..." ([Tag](#): 2017 source edit)



## 2.4 Integrate form edit mode

Search for revisions   From year (and earlier):   From month (and earlier):   [Tag](#) filter:

Diff selection: Mark the radio boxes of the revisions to compare and hit enter or the button at the bottom.

Legend: **(cur)** = difference with latest revision, **(prev)** = difference with preceding revision, **m** = minor edit.

- [\(cur | prev\)](#)12:49, 7 January 2021

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (2,650 bytes) (+374) . . ([Tag: Visual edit](#)) [approved by [MLR](#)]  
[Reviewed: 12:49, 7 January 2021 | [MLR](#) ]

- [\(cur | prev\)](#)09:00, 22 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (2,276 bytes) (+65) [approved by [MLR](#)] [Reviewed: 09:12, 22 December 2020 | [MLR](#) ]

- [\(cur | prev\)](#)08:39, 22 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (2,211 bytes) (+95) . . ([Tag: 2017 source edit](#)) [approved by [MLR](#)]  
[Reviewed: 08:39, 22 December 2020 | [MLR](#) ]

- [\(cur | prev\)](#)16:23, 21 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (2,116 bytes) (+2) . . ([Tag: 2017 source edit](#))

- [\(cur | prev\)](#)14:32, 21 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (2,114 bytes) **(+2,114)** . . (Created page with "{{DISPLAYTITLE: Integrating the form edit mode}}" With the page "Special:CreateCategory," we now connect the category "Customer data" with the form "Customer data". Thi...) ([Tag: Visual edit](#))

### 3 Template styling

Search for revisions From year (and earlier): From month (and earlier): Tag filter:

Diff selection: Mark the radio boxes of the revisions to compare and hit enter or the button at the bottom.

Legend: **(cur)** = difference with latest revision, **(prev)** = difference with preceding revision, **m** = minor edit.

- (cur | prev)09:00, 22 December 2020

Mlink-rodrigue (talk | contribs) . . (5,354 bytes) (+65) [approved by MLR] [Reviewed: 09:12, 22 December 2020 | MLR ]

- (cur | prev)08:43, 22 December 2020

Mlink-rodrigue (talk | contribs) . . (5,289 bytes) (+100) . . (Tag: 2017 source edit) [approved by MLR] [Reviewed: 08:43, 22 December 2020 | MLR ]

- (cur | prev)15:48, 21 December 2020

Mlink-rodrigue (talk | contribs) . . (5,189 bytes) (-125) . . (Tag: Visual edit)

- (cur | prev)15:43, 21 December 2020

Mlink-rodrigue (talk | contribs) . . (5,314 bytes) (+140) . . (Tag: Visual edit)

- (cur | prev)15:10, 21 December 2020

Mlink-rodrigue (talk | contribs) . . (5,174 bytes) **(+5,174)** . . (Created page with "By default, a semantic template that was created with the page "Special:CreateTemplate," is displayed in a basic table format. Each property/value pair is shown in a new tab..." ) (Tag: Visual edit)

## 4 Query the data

Search for revisions   From year (and earlier):   From month (and earlier): [Tag](#) filter:

Diff selection: Mark the radio boxes of the revisions to compare and hit enter or the button at the bottom.

Legend: **(cur)** = difference with latest revision, **(prev)** = difference with preceding revision, **m** = minor edit.

- [\(cur | prev\)](#)09:00, 22 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (4,031 bytes) (+65) [approved by [MLR](#)] [Reviewed: 09:12, 22 December 2020 | [MLR](#) ]

- [\(cur | prev\)](#)08:45, 22 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (3,966 bytes) (+89) . . ([Tag](#): 2017 source edit) [approved by [MLR](#)] [Reviewed: 08:45, 22 December 2020 | [MLR](#) ]

- [\(cur | prev\)](#)16:21, 21 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (3,877 bytes) (0) . . ([Tag](#): 2017 source edit)

- [\(cur | prev\)](#)16:21, 21 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (3,877 bytes) (+1) . . ([Tag](#): 2017 source edit)

- [\(cur | prev\)](#)16:17, 21 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (3,876 bytes) **(+3,876)** . . (Created page with "{{DISPLAYTITLE: Semantic data queries}}" You can query and display the data that you collect in the wiki at at any time on any wiki page. == "Ask" queries == With the parser fu...) ([Tag](#): [Visual edit](#))

## 5 Naming conventions

Search for revisions From year (and earlier): From month (and earlier): [Tag](#) filter:

Diff selection: Mark the radio boxes of the revisions to compare and hit enter or the button at the bottom.

Legend: **(cur)** = difference with latest revision, **(prev)** = difference with preceding revision, **m** = minor edit.

- [\(cur | prev\)](#)09:00, 22 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (3,980 bytes) (+65) [approved by [MLR](#)] [Reviewed: 09:08, 25 February 2021 | [MLR](#) ]

- [\(cur | prev\)](#)08:46, 22 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (3,915 bytes) (+71) . . ([Tag](#): 2017 source edit) [approved by [MLR](#)] [Reviewed: 08:46, 22 December 2020 | [MLR](#) ]

- [\(cur | prev\)](#)16:48, 21 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (3,844 bytes) (-646) . . ([Tag](#): Visual edit)

- [\(cur | prev\)](#)16:44, 21 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (4,490 bytes) (+4,490) . . ([Tag](#): Visual edit)

