

Contents

1. Manual:Semantic MediaWiki	2
2. Manual:Semantic MediaWiki/Examples	3
3. Manual:Semantic MediaWiki/Examples/Customer data	3
4. Manual:Semantic MediaWiki/Examples/Customer data/Customer page	4
5. Manual:Semantic MediaWiki/Examples/Customer data/Form	5
6. Manual:Semantic MediaWiki/Examples/Customer data/Form edit mode	6
7. Manual:Semantic MediaWiki/Examples/Customer data/Queries	6
8. Manual:Semantic MediaWiki/Examples/Customer data/Template	7
9. Manual:Semantic MediaWiki/Examples/Customer data/Template styling	8
10. Manual:Semantic MediaWiki/Naming conventions	9

1 Manual:Semantic MediaWiki

Search for revisions From year (and earlier): From month (and earlier): [Tag](#) filter:

Diff selection: Mark the radio boxes of the revisions to compare and hit enter or the button at the bottom.

Legend: **(cur)** = difference with latest revision, **(prev)** = difference with preceding revision, **m** = minor edit.

- [\(cur | prev\)](#)17:43, 22 December 2021

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (2,950 bytes) (-150) . . ([Tag](#): 2017 source edit) [automatically approved] [Reviewed: 17:43, 22 December 2021 | [MLR](#)]

- [\(cur | prev\)](#)15:38, 18 June 2021

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (3,100 bytes) (+24) . . ([Tag](#): Visual edit) [automatically approved] [Reviewed: 15:38, 18 June 2021 | [MLR](#)]

- [\(cur | prev\)](#)15:10, 18 June 2021

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (3,076 bytes) (+126) . . ([Tag](#): Visual edit) [automatically approved] [Reviewed: 15:10, 18 June 2021 | [MLR](#)]

- [\(cur | prev\)](#)09:04, 31 March 2021

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (2,950 bytes) (-807) . . ([Tag](#): Visual edit) [approved by [MLR](#)] [Reviewed: 09:04, 31 March 2021 | [MLR](#)]

- [\(cur | prev\)](#)09:38, 7 January 2021

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) [m](#) . . (3,757 bytes) (+50) . . ([Tag](#): Visual edit) [approved by [MLR](#)] [Reviewed: 09:38, 7 January 2021 | [MLR](#)]

- [\(cur | prev\)](#)09:36, 7 January 2021

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) [m](#) . . (3,707 bytes) (0) . . ([Tag](#): Visual edit) [approved by [MLR](#)] [Reviewed: 09:36, 7 January 2021 | [MLR](#)]

- [\(cur | prev\)](#)09:59, 22 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (3,707 bytes) (+65) [approved by [MLR](#)] [Reviewed: 10:11, 22 December 2020 | [MLR](#)]

- [\(cur | prev\)](#)18:14, 21 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (3,642 bytes) (-12) . . ([Tag](#): Visual edit) [approved by [MLR](#)] [Reviewed: 18:14, 21 December 2020 | [MLR](#)]

- ([cur](#) | [prev](#))18:09, 21 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (3,654 bytes) (+322) . . ([Tag](#): 2017 source edit) [approved by [MLR](#)]
[Reviewed: 18:09, 21 December 2020 | [MLR](#)]

- ([cur](#) | [prev](#))09:52, 21 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (3,332 bytes) (**+3,332**) . . (Created page with "==Scope and Terminology== Semantic MediaWiki (SMW) is a MediaWiki extension that enables you to define and query data on a wiki page. The following steps are necessary: #'"..."") ([Tag](#): [Visual edit](#))

Revision history of "Manual:Semantic MediaWiki/Examples"

Search for revisions From year (and earlier): From month (and earlier): [Tag](#) filter:

Diff selection: Mark the radio boxes of the revisions to compare and hit enter or the button at the bottom.

Legend: **(cur)** = difference with latest revision, **(prev)** = difference with preceding revision, **m** = minor edit.

- ([cur](#) | [prev](#))10:36, 25 February 2021

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (123 bytes) (-96) . . ([Tag](#): 2017 source edit) [approved by [MLR](#)]
[Reviewed: 10:36, 25 February 2021 | [MLR](#)]

- ([cur](#) | [prev](#))10:18, 25 February 2021

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (219 bytes) (+96) . . ([Tag](#): 2017 source edit)

- ([cur](#) | [prev](#))10:10, 25 February 2021

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (123 bytes) (+5) . . ([Tag](#): 2017 source edit) [approved by [MLR](#)]
[Reviewed: 10:10, 25 February 2021 | [MLR](#)]

- ([cur](#) | [prev](#))10:16, 22 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (118 bytes) (+1) . . ([Tag](#): 2017 source edit)

- ([cur](#) | [prev](#))10:16, 22 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (117 bytes) (+117) . . (Created page with "{{#ask:{{-Subpage:{{FULLPAGENAME}}}}|!~*→/: *}}|format=template|template=SMW query with titleparts|link=none}}") ([Tag](#): 2017 source edit) [approved by [MLR](#)] [Reviewed: 10:16, 22 December 2020 | [MLR](#)]

2 Revision history of "Manual:Semantic MediaWiki/Examples/Customer data"

Search for revisions From year (and earlier): From month (and earlier): [Tag](#) filter:

Diff selection: Mark the radio boxes of the revisions to compare and hit enter or the button at the bottom.

Legend: **(cur)** = difference with latest revision, **(prev)** = difference with preceding revision, **m** = minor edit.

- [\(cur | prev\)](#)09:59, 22 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (2,893 bytes) (+65) [approved by [MLR](#)] [Reviewed: 10:11, 22 December 2020 | [MLR](#)]

- [\(cur | prev\)](#)09:32, 22 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (2,828 bytes) (+41) . . ([Tag: Visual edit](#)) [approved by [MLR](#)] [Reviewed: 09:32, 22 December 2020 | [MLR](#)]

- [\(cur | prev\)](#)09:31, 22 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (2,787 bytes) (+37) . . ([Tag: 2017 source edit](#)) [approved by [MLR](#)] [Reviewed: 09:31, 22 December 2020 | [MLR](#)]

- [\(cur | prev\)](#)09:27, 22 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (2,750 bytes) (+10) . . ([Tag: Visual edit](#))

- [\(cur | prev\)](#)10:47, 21 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (2,740 bytes) (+7) . . ([Tag: 2017 source edit](#))

- [\(cur | prev\)](#)10:32, 21 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (2,733 bytes) **(+2,733)** . . (Created page with "In this exampla for SMW, we create a query for customer data. The collected information is shown at the beginning of each customer page.
 Date:screenshot-Vorlage.pn...") ([Tag: Visual edit](#))

Revision history of "Manual:Semantic MediaWiki/Examples/Customer data/Customer page"

Search for revisions From year (and earlier): From month (and earlier): [Tag](#) filter:

Diff selection: Mark the radio boxes of the revisions to compare and hit enter or the button at the bottom.

Legend: **(cur)** = difference with latest revision, **(prev)** = difference with preceding revision, **m** = minor edit.

- (cur | prev)17:18, 21 December 2020

Mlink-rodrigue (talk | contribs) m . . (86 bytes) (0) . . (Mlink-rodrigue moved page **Customer page** to **Manual:Semantic MediaWiki/Examples/Customer data/Customer page** without leaving a redirect)

- (cur | prev)17:17, 21 December 2020

Mlink-rodrigue (talk | contribs) . . (86 bytes) (+86) . . (Created page with "{Customer data |location=Berlin |contactperson=David Wang |firstcontact=2020/12/18 }")

2.3 Revision history of "Manual:Semantic MediaWiki/Examples/Customer data/Form"

Search for revisions From year (and earlier): From month (and earlier): [Tag](#) filter:

Diff selection: Mark the radio boxes of the revisions to compare and hit enter or the button at the bottom.

Legend: **(cur)** = difference with latest revision, **(prev)** = difference with preceding revision, **m** = minor edit.

- (cur | prev)10:00, 22 December 2020

Mlink-rodrigue (talk | contribs) . . (2,893 bytes) (+65) [approved by [MLR](#)] [Reviewed: 10:12, 22 December 2020 | [MLR](#)]

- (cur | prev)09:37, 22 December 2020

Mlink-rodrigue (talk | contribs) . . (2,828 bytes) (+92) . . ([Tag](#): 2017 source edit) [approved by [MLR](#)] [Reviewed: 09:37, 22 December 2020 | [MLR](#)]

- (cur | prev)16:14, 21 December 2020

Mlink-rodrigue (talk | contribs) . . (2,736 bytes) (+348) . . ([Tag](#): **Visual edit**)

- (cur | prev)14:46, 21 December 2020

Mlink-rodrigue (talk | contribs) . . (2,388 bytes) **(-903)** . . ([Tag](#): 2017 source edit)

- (cur | prev)11:35, 21 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (3,291 bytes) **(+3,291)** . . (Created page with "With the page "Special: CreateForm", you now create the data entry form. Datei:Formular-erstellen1. png|alternativtext=Spezialseite: Formular erstellen|zentriert|mini|600x6..." ([Tag](#): 2017 source edit)

2.4 Revision history of "Manual:Semantic MediaWiki/Examples /Customer data/Form edit mode"

Search for revisions From year (and earlier): From month (and earlier): [Tag](#) filter:

Diff selection: Mark the radio boxes of the revisions to compare and hit enter or the button at the bottom.

Legend: **(cur)** = difference with latest revision, **(prev)** = difference with preceding revision, **m** = minor edit.

- ([cur](#) | [prev](#))13:49, 7 January 2021

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (2,650 bytes) (+374) . . ([Tag](#): [Visual edit](#)) [approved by [MLR](#)] [Reviewed: 13:49, 7 January 2021 | [MLR](#)]

- ([cur](#) | [prev](#))10:00, 22 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (2,276 bytes) (+65) [approved by [MLR](#)] [Reviewed: 10:12, 22 December 2020 | [MLR](#)]

- ([cur](#) | [prev](#))09:39, 22 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (2,211 bytes) (+95) . . ([Tag](#): 2017 source edit) [approved by [MLR](#)] [Reviewed: 09:39, 22 December 2020 | [MLR](#)]

- ([cur](#) | [prev](#))17:23, 21 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (2,116 bytes) (+2) . . ([Tag](#): 2017 source edit)

- ([cur](#) | [prev](#))15:32, 21 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (2,114 bytes) **(+2,114)** . . (Created page with "{{DISPLAYTITLE: Integrating the form edit mode}}" With the page "Special:CreateCategory," we now connect the category "Customer data" with the form "Customer data". Thi...) ([Tag](#): [Visual edit](#))

4 Revision history of "Manual:Semantic MediaWiki/Examples/Custom data/Queries"

Search for revisions From year (and earlier): From month (and earlier): Tag filter:

Diff selection: Mark the radio boxes of the revisions to compare and hit enter or the button at the bottom.

Legend: **(cur)** = difference with latest revision, **(prev)** = difference with preceding revision, **m** = minor edit.

- (cur | prev)10:00, 22 December 2020

Mlink-rodrigue (talk | contribs) . . (4,031 bytes) (+65) [approved by MLR] [Reviewed: 10:12, 22 December 2020 | MLR]

- (cur | prev)09:45, 22 December 2020

Mlink-rodrigue (talk | contribs) . . (3,966 bytes) (+89) . . (Tag: 2017 source edit) [approved by MLR] [Reviewed: 09:45, 22 December 2020 | MLR]

- (cur | prev)17:21, 21 December 2020

Mlink-rodrigue (talk | contribs) . . (3,877 bytes) (0) . . (Tag: 2017 source edit)

- (cur | prev)17:21, 21 December 2020

Mlink-rodrigue (talk | contribs) . . (3,877 bytes) (+1) . . (Tag: 2017 source edit)

- (cur | prev)17:17, 21 December 2020

Mlink-rodrigue (talk | contribs) . . (3,876 bytes) **(+3,876)** . . (Created page with "{{DISPLAYTITLE: Semantic data queries}} You can query and display the data that you collect in the wiki at at any time on any wiki page. ==\"Ask\" queries== With the parser fu...") (Tag: Visual edit)

2.2 Revision history of "Manual:Semantic MediaWiki/Examples/Custom data/Template"

Search for revisions From year (and earlier): From month (and earlier): Tag filter:

Diff selection: Mark the radio boxes of the revisions to compare and hit enter or the button at the bottom.

Legend: **(cur)** = difference with latest revision, **(prev)** = difference with preceding revision, **m** = minor edit.

- [\(cur | prev\)](#)10:00, 22 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (3,200 bytes) (+65) [approved by [MLR](#)] [Reviewed: 10:12, 22 December 2020 | [MLR](#)]

- [\(cur | prev\)](#)09:35, 22 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (3,135 bytes) (-5) . . ([Tag](#): 2017 source edit) [approved by [MLR](#)] [Reviewed: 09:35, 22 December 2020 | [MLR](#)]

- [\(cur | prev\)](#)09:34, 22 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (3,140 bytes) (+94) . . ([Tag](#): 2017 source edit) [approved by [MLR](#)] [Reviewed: 09:34, 22 December 2020 | [MLR](#)]

- [\(cur | prev\)](#)11:31, 21 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (3,046 bytes) **(+3,046)** . . (Created page with "{{DISPLAYTITLE:Create a template}}" <div class="steps"> ==Create the display template== To create the template, we go to the page "Special:Create template". On this page, we..." ([Tag](#): 2017 source edit)

3 Revision history of "Manual:Semantic MediaWiki/Examples/Custom data/Template styling"

Search for revisions From year (and earlier): From month (and earlier): [Tag](#) filter:

Diff selection: Mark the radio boxes of the revisions to compare and hit enter or the button at the bottom.

Legend: **(cur)** = difference with latest revision, **(prev)** = difference with preceding revision, **m** = minor edit.

- [\(cur | prev\)](#)10:00, 22 December 2020

[Mlink-rodrique](#) ([talk](#) | [contribs](#)) . . (5,354 bytes) (+65) [approved by [MLR](#)] [Reviewed: 10:12, 22 December 2020 | [MLR](#)]

- [\(cur | prev\)](#)09:43, 22 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (5,289 bytes) (+100) . . ([Tag](#): 2017 source edit) [approved by [MLR](#)]
[Reviewed: 09:43, 22 December 2020 | [MLR](#)]

- ([cur](#) | [prev](#))16:48, 21 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (5,189 bytes) (-125) . . ([Tag](#): [Visual edit](#))

- ([cur](#) | [prev](#))16:43, 21 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (5,314 bytes) (+140) . . ([Tag](#): [Visual edit](#))

- ([cur](#) | [prev](#))16:10, 21 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (5,174 bytes) **(+5,174)** . . (Created page with "By default, a semantic template that was created with the page "Special:CreateTemplate," is displayed in a basic table format. Each property/value pair is shown in a new tab...") ([Tag](#): [Visual edit](#))

5 Revision history of "Manual:Semantic MediaWiki/Naming conventions"

Search for revisions From year (and earlier): From month (and earlier): [Tag](#) filter:

Diff selection: Mark the radio boxes of the revisions to compare and hit enter or the button at the bottom.

Legend: **(cur)** = difference with latest revision, **(prev)** = difference with preceding revision, **m** = minor edit.

- ([cur](#) | [prev](#))10:00, 22 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (3,980 bytes) (+65) [approved by [MLR](#)] [Reviewed: 10:08, 25 February 2021 | [MLR](#)]

- ([cur](#) | [prev](#))09:46, 22 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (3,915 bytes) (+71) . . ([Tag](#): 2017 source edit) [approved by [MLR](#)]
[Reviewed: 09:46, 22 December 2020 | [MLR](#)]

- ([cur](#) | [prev](#))17:48, 21 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (3,844 bytes) **(-646)** . . ([Tag](#): [Visual edit](#))

- ([cur](#) | [prev](#))17:44, 21 December 2020

[Mlink-rodrigue](#) ([talk](#) | [contribs](#)) . . (4,490 bytes) **(+4,490)** . . ([Tag](#): [Visual edit](#))

