



BlueSpice
MediaWiki

BlueSpice 2.23.3 - Installation without Installer



Table of contents

1. Archive:BlueSpice 2.23.3 Installation Manual without Installer	3
---	---

1. Archive:BlueSpice 2.23.3 Installation Manual without Installer

Contents	
1 About this manual	4
2 Requirements	4
3 Installation	4
3.1 Components of BlueSpice	4
3.1.1 Renaming files & directories	4
3.1.2 Set write permissions	5
3.2 Requirements check	5
3.3 Setup of BlueSpice	5
3.4 Updating the database	6
3.4.1 By command line / terminal	6
3.4.2 MediaWiki web updater	7
3.5 End of the default installation	7
4 Installation of the BlueSpice-Webservices	7
4.1 ExtendedSearch	7
4.1.1 Create index directory	7
4.1.2 Adding stop word list	7
4.1.3 Path to solr config	8
4.1.4 Deploy solr.war	8
4.1.5 Integration in MediaWiki	8
4.1.6 Configure the ExtendedSearch	9
4.2 Universal Export	9
4.2.1 Deploy BShtml2PDF.war	9
4.2.2 Integration in MediaWiki	9
4.2.3 Configure the UniversalExport	9
4.3 Finish	10
5 Further Configuration	10
5.1 Security settings	10
5.2 Increasing performance on Windows	10
5.3 Using img_auth	10
5.4 Other helpful settings	11
6 Support	11

This document describes the installation steps for all BlueSpice 2.23.3 releases over the base of an already existing Mediawiki installation.

If you haven't installed Mediawiki yet, try the installer version of Blue Spice 2.23.3, which already contains Mediawiki 1.23. For the installation of BlueSpice with the installer please find an separat installation manual [here](#).

About this manual

- Please read this manual completely and follow the installation steps in the given order.
- For editing the configuration files in a text editor, it is necessary to save the files in UTF-8 code without BOM (Byte Order Mark).
- The placeholder is representative for the path, where you unzipped the downloaded extension.
- The placeholder is representative for the URL of your MediaWiki, e.g. <http://localhost/mediawiki>.
- The placeholder is representative for the path to your MediaWiki installation, e.g. C:\inetpub\wwwroot (Windows) or /var/www/bluespice (Linux).

Requirements

For the installation of BlueSpice, an already installed and fully configured MediaWiki 1.22.x - 1.24.x is required. This must be accessible at in your browser (with started web and database server).

Installation

After downloading BlueSpice 2.23.3 extract it with an appropriate extraction program (e.g. 7-zip, WinZip) and save it at .

Components of BlueSpice

The contains the following directories and files:

- extensions
- skins
- installcheck.php

Copy the extracted elements directly into the directory . The directories "extensions" and "skins" already exist there. Just integrate the content of the direcotries into the appropriate MediaWiki directories.

Renaming files & directories

The following files and directories need to be renamed:

- /extensions/BlueSpiceDistribution/BlueSpiceDistribution.php.template

to

/extensions/BlueSpiceDistribution/BlueSpiceDistribution.php

/extensions/BlueSpiceFoundation/data.template

to

/extensions/BlueSpiceFoundation/data

`/extensions/BlueSpiceFoundation/config.template`

to

`/extensions/BlueSpiceFoundation/config`

Set write permissions


The following directories have to be writable by the web server: *(Under Linux issue e. g. `chmod -R a+w`)*

- `/cache`
- `/images`
- `/extensions/BlueSpiceFoundation/data`
- `/extensions/BlueSpiceFoundation/config`

Requirements check

In order to check further conditions for the installation, start `/installcheck.php` in your browser. Further requirements and information for the installation as well as occurring errors (e.g. missing permissions) will be displayed there.

If everything is alright (indicated by the green OK, see image below), you can go on with the setup of BlueSpice.



Output of `installcheck.php`

Setup of BlueSpice

Open the file `/LocalSettings.php` in a text editor (e.g. [Notepad++](#)) and add the following lines at the very end of the code:

```
require_once("$IP/extensions/BlueSpiceDistribution/BlueSpiceDistribution.php");  
require_once("$IP/extensions/BlueSpiceFoundation/BlueSpiceFoundation.php");  
require_once("$IP/extensions/BlueSpiceExtensions/BlueSpiceExtensions.php");  
require_once("$IP/skins/BlueSpiceSkin/BlueSpiceSkin.php");
```

```
114
115 # Path to the GNU diff3 utility. Used for conflict resolution.
116 $wgDiff3 = "";
117
118 # The following permissions were set based on your choice in the installer
119 $wgGroupPermissions['*']['createaccount'] = false;
120 $wgGroupPermissions['*']['edit'] = false;
121 $wgGroupPermissions['*']['read'] = false;
122
123 ## Default skin: you can change the default skin. Use the internal symbolic
124 ## names, ie 'vector', 'monobook':
125 $wgDefaultSkin = "vector";
126
127 # Enabled skins.
128 # The following skins were automatically enabled:
129 require_once "$IP/skins/CologneBlue/CologneBlue.php";
130 require_once "$IP/skins/Modern/Modern.php";
131 require_once "$IP/skins/MonoBook/MonoBook.php";
132 require_once "$IP/skins/Vector/Vector.php";
133
134
135 # End of automatically generated settings.
136 # Add more configuration options below.
137
138 require_once("$IP/extensions/BlueSpiceDistribution/BlueSpiceDistribution.php");
139 require_once("$IP/extensions/BlueSpiceFoundation/BlueSpiceFoundation.php");
140 require_once("$IP/extensions/BlueSpiceExtensions/BlueSpiceExtensions.php");
141 require_once("$IP/skins/BlueSpiceSkin/BlueSpiceSkin.php");
```

Updating the database

You can update the database by two different ways as described below. After the update, BlueSpice for MediaWiki can be reached at by browser.

By command line / terminal

Open your command line or terminal in and execute the following command there:

Windows: php maintenance/update.php

Linux: php /maintenance/update.php

The output should look like this:

```
(...)
Creating bs_whoisonline table...ok
(...)
Creating bs_saferedit table...ok
(...)
...done.
```

MediaWiki web updater

Open `/mw-config/` in your browser and follow the instructions. Further information can be found on the official [MediaWiki Documentation](#)

End of the default installation

If you don't want to use the PDF export and the extended search of BlueSpice, you're already done here!

Installation of the BlueSpice-Webservices

The BlueSpice extensions "ExtendedSearch" and "Universal Export" (PDF export) are implemented by Java web services. These must be provided on an *Application Server* such as Apache Tomcat. For the following description we assume a running Tomcat installation at `$CATALINA_HOME`.

ExtendedSearch

Create index directory

Open the command line or the terminal and execute the following commands:

Windows:

```
mkdir C:\xampp\bluespice_data\solr
xcopy \extensions\BlueSpiceExtensions\ExtendedSearch\webservices\solr
C:\xampp\bluespice_data\solr /s
```

Linux:

```
mkdir -p /opt/bluespice_data
cp -r /extensions/BlueSpiceExtensions/ExtendedSearch/webservices/solr /opt/bluespice_data/
chown -R tomcat6 /opt/bluespice_data/solr # (# provided that tomcat6 is the tomcat user)
```

Adding stop word list

The "More like this (Mlt)" feature needs a stop word list in the content language of your wiki to run without any problems.

Open the language configuration folder at `\bluespice_data\solr\bluespice\conf\lang`. Many lists for different languages can be found here. Copy the stop word list with the language code which fits to your language of the wiki content, e.g. for English content: `->\stopwords_en.txt`

Copy the appropriate file into the following directory:

```
bluespice_data\solr\bluespice\conf
```

Afterwards rename

```
bluespice_data\solr\bluespice\conf\stopwords_en.txt
```

to

```
bluespice_data\solr\bluespice\conf\stopwords.txt
```

Path to solr config

The path to the Solr configuration (the conf-file contains solr.xml) now has to be set by the variable `solr.solr.home`.

Open the command line and

... add the following lines at the beginning of the file `$CATALINA_HOME\bin\catalina.bat` (Windows):

```
set JAVA_OPTS=%JAVA_OPTS% -Dsolr.solr.home=C:\xampp\bluespice_data\solr
```

... add the following lines at the end of the file `/etc/default/tomcat6` (Linux Debian):

```
JAVA_OPTS="$JAVA_OPTS -Dsolr.solr.home=/opt/bluespice_data/solr"
```

Restart Tomcat now.

Deploy solr.war

Now copy "solr.war" from

```
\extensions\BlueSpiceExtensions\ExtendedSearch\webservices
```

to

```
\$CATALINA_HOME\webapps\ (Windows)
```

or

```
/$CATALINA_HOME/webapps/ (Linux)
```

Integration in MediaWiki

If you have not yet done so, copy the file `\extensions\BlueSpiceExtensions\BlueSpiceExtensions.default.php` and save it as `\extensions\BlueSpiceExtensions\BlueSpiceExtensions.local.php`.

Make sure the file `\extensions\BlueSpiceExtensions\BlueSpiceExtensions.local.php` contains the following line and is not commented out ('#' at the beginning of a line)


```
require_once( __DIR__."/ExtendedSearch/ExtendedSearch.setup.php" );
```

Execute [update.php](#) again (as described above)!

Configure the ExtendedSearch

Configure BlueSpice to use the "Extended Search" web service in your browser:

Admintab (gear symbol) -> Preferences -> Extended Search:

- Solr URL (default = <http://127.0.0.1:8080/solr>)

Universal Export

Deploy BShtml2PDF.war

Now copy "BShtml2PDF.war" from `/extensions/BlueSpiceExtensions/UEModulePDF/webservices` to the following directory:

Windows:

```
$CATALINA_HOME\webapps\
```

Linux:

```
/$CATALINA_HOME/webapps/
```

Integration in MediaWiki

If you have not yet done so, copy the file `\extensions\BlueSpiceExtensions\BlueSpiceExtensions.default.php` to `\extensions\BlueSpiceExtensions\BlueSpiceExtensions.local.php`.

Make sure the file `\extensions\BlueSpiceExtensions\BlueSpiceExtensions.local.php` contains the following line and is not commented out ('#' at the beginning of a line)

```
require_once( __DIR__."/UniversalExport/UniversalExport.setup.php" );  
require_once( __DIR__."/UEModulePDF/UEModulePDF.setup.php" );
```

Configure the UniversalExport

Configure BlueSpice to use the "Universal Export" web service in your browser:

Admintab (gear symbol) -> Preferences -> Universal Export PDF module:

- Backend URL (default = <http://localhost:8080/BShtml2PDF>)

Finish

If you worked through all of the installation steps, the BlueSpice installation should be completed successfully now and you can start working with your new BlueSpice. Have fun!

Further Configuration

Security settings

After you configured your BlueSpice successfully, please follow these steps to increase the security of the system:

- Delete the file `/installcheck.php`
- To make sure that the feature SecureFileStore will work correctly, prohibit the direct http access to the directory

`/images`

- If you want to use the feature FlexiSkin, you need to exclude the directory

`/images/bluespice/flexiskin`

from the previously mentioned rule.

Increasing performance on Windows

If you are using BlueSpice for MediaWiki with Windows, make sure that you use

```
$wgDBserver = "127.0.0.1";
```

instead of

```
$wgDBserver = "localhost";
```

in your `LocalSettings.php` (due to MySQL issues with IPv6).

Using `img_auth`

If you wish to use `img_auth` instead of `SecureFileStore` please follow these steps:

1. Open the file

`/extensions/BlueSpiceExtensions/BlueSpiceExtensions.local.php`

Deactivate `SecureFileStore` by uncommenting the following line:

```
require_once( __DIR__."/SecureFileStore/SecureFileStore.setup.php" );
```

2. Insert the following line into your `LocalSettings.php` before you include the BlueSpice extensions:

```
$wgUploadPath = $wgScriptPath."/img_auth.php";
```

Other helpful settings

For a list of commonly used MediaWiki settings that may prove useful, take a look at this [configuration](#).

Support

You can find support here:

- [Support, Bug reports](#)
- [User forum](#)
- [Installation service](#)
- [Product support](#)