

Archive:Teamwork



Teamwork - Quality assurance through cooperation!

What is Teamwork?

The quality of the content of articles is very important, especially in a wiki that is frequented by many users. The package **Teamwork** for BlueSpice simplifies the assurance and control of this quality with many functions.

This includes the creation of review processes and the assignment of reviewers, as well as the creation and monitoring of whole workflows. By introducing draft versions and approval mechanisms, you can also control the publishing of new articles and changes without any difficulty.

Contents

1 What is Teamwork?	1
2 Use Cases: Why should I use Teamwork?	2
3 Which extensions are part of Teamwork?	2
4 How do I use Teamwork? (Step-by-step)	3
4.1 Creating a workflow	3
4.2 Reviewing an article	7
4.3 Approving an article	8
5 Additional features	9
5.1 View your own reviews	9
5.2 Delegate workflows	10
5.3 Monitor progress	11
5.4 Approval in the version history	11
5.5 Special pages	11
6 Working hints	12
7 Administration	12
7.1 Which rights can be granted?	12
7.2 Activate FlaggedRevisions in namespaces	13
7.3 Additional user groups	13
7.4 Notifications for reviewers	14
7.5 Further settings	15
7.6 Troubleshooting	15
8 Even more quality assurance with additional extensions	16

Use Cases: Why should I use Teamwork?

If in your organisation...

- Manuals and documentations need to be created in a specified process
- Articles have to be finished on a set date
- Work for the individual employee should be minimized by distributing editing bit by bit
- Quality in your wiki should be enhanced by approvals and fixed contact persons
- Cooperation in your wiki should be done "the professional way"

... then **Teamwork** is perfect for you!

Which extensions are part of Teamwork?

The package **Teamwork** consists of the following extensions:

ReviewExtended

ReviewExtended is an extension for BlueSpice developed by Hallo Welt! and provides basic functionalities for **Teamwork**, which are needed for reviewing articles by certain users. The following actions are possible with **ReviewExtended**:

- Delegation and redelegation of review tasks
- Extendend settings for the creation of workflow processes (allow/disallow editing, follow the reviewer order, abort review if a reviewer rejects it)
- Creation and use of workflow templates

FlaggedRevisions

Flagged Revisions is a MediaWiki extension which activates the approval mechanism. New versions of an article are initially marked as drafts, and remain so until a user with revision rights checks and approves the article. **FlaggedRevisions** was customized by Hallo Welt! to improve the cooperation with **ReviewExtended**.

FlaggedRevsConnector

The **FlaggedRevsConnector** provides additional internal functionalities, which are needed to connect **ReviewExtended** and **FlaggedRevisions**.

How do I use Teamwork? (Step-by-step)


Imagine a typical situation:

You have an important article in your wiki that desperately needs revision. You want to make sure that the content of the article satisfies the quality requirements of your organization, but you're lacking the expert knowledge needed to check for mistakes. That's why you want to commission some colleagues to do this for you. For this, you need a **review process**.


Creating a workflow

Step 1: Call up the article you want to create a review workflow for.

Step 2: Click on *More* on the top right of the article to open the **Widgetbar**. Click on *Edit review*.



Step 3: In the following pop-up window, decide on a *review period* by choosing a start and an end date.



Review

Start date: 04/04/16 End date: 04/11/16

Options: ☒ Reviewer can edit the page
☒ Follow the reviewer order
☒ Abort review if a reviewer reject it

Template: Load

+ -

Status	Reviewer	Comment	Actions
--------	----------	---------	---------


Save Delete

Screenshot: Decide on a review period.

Step 4: By clicking on the green button you can now add the first reviewer for the article. You can specify the task by adding a comment. Click on *Ok* to fix the reviewer.

Repeat this step to add further reviewers.

By the way: in the column *Actions* you can edit individual reviewers, move them up in the list, or delete them from the workflow completely.



The screenshot shows the 'Review' dialog box in BlueSpice. It includes fields for 'Start date' (04/04/16) and 'End date' (04/11/16). Under 'Options', three checkboxes are checked: 'Reviewer can edit the page', 'Follow the reviewer order', and 'Abort review if a reviewer reject it'. There is a 'Template' dropdown menu and a 'Load' button. Below these are three buttons: a green '+' button, a wrench icon, and a red '-' button. A table with a red border contains the reviewer list:

	Status	Reviewer	Comment	Actions
1		Jane Editor	Please check content	
2		Jake Senior	Check (and add) screenshots	

At the bottom of the dialog are 'Save' and 'Delete' buttons. Below the dialog, the text 'Screenshot: A newly created reviewer list' is visible.

Step 5: Decide on additional settings for the workflow:

- Should the reviewers be able to edit the article?
- Is the reviewer order mandatory? If so, then the next reviewer on the list will only be informed of the task when the previous reviewer already checked and approved the article.
- Should the whole review process be aborted if a reviewer rejects the new version of an article? Otherwise the initiator of the workflow will be informed of a rejection and will become the next reviewer. After that, the workflow will begin anew.

Review

Start date: 04/04/16 End date: 04/11/16

Options: ☒ Reviewer can edit the page
☒ Follow the reviewer order
☒ Abort review if a reviewer reject it

Template: **Load**

+ wrench -

	Status	Reviewer	Comment	Actions
1		Jane Editor	Please check content	
2		Jake Senior	Check (and add) screenshots	

Save **Delete**

Screenshot: Additional settings

Step 6 (optional): Save the workflow as reusable template. This can save you a lot of time when creating a new workflow, especially when you have a large amount of reviewers, because all settings and reviewers can be transferred to a new review process with one click. Enter any name for your template and click on *Save for myself* if you want to restrict access to the template to yourself, or click on *Save for everybody* if you want to make the template available for all users of the wiki.

Status	Reviewer	Comment	Actions
1	Jane Editor	Please check content	
2	Jake Senior	Check (and add) screenshots	

Save Delete

OUTDATED


Screenshot: Create your own workflow templates

Step 7: Click on *save* to activate the workflow and inform the first reviewer (or all of them at once, depending on your setting in step 5) of the new task.

Reviewing an article

Step 1: If you were added as a reviewer to a workflow, you can be informed about your task in 3 different ways:

- Via Email. You can directly access the article in question by clicking on a link.
- Via notification in the wiki.



Screenshot: You will be informed about a new review task immediately

c) Via the *Eye* icon that will appear on the page of each reviewer when a review workflow was created. [Here](#) you can learn more about this topic.

Please keep in mind: To receive notifications about upcoming reviews, users need to adapt certain [settings in their user profiles](#). **Step 2:** Call up the article you want to review and check the content. Pay attention to any comments the initiator of the workflow might have added to your task. Depending on the settings in the workflow, you may be able to edit the contents directly, to correct mistakes you notice on the spot. **Step 3:** After finishing the review, open the statebar of the article by clicking on *Review*. Here you will find detailed information about the duration of the review process, as well as the creator of the workflow. You can now agree to the changes in the article, or disagree. It is also very helpful to add a comment, to explain your decision to other users. Optional: If you're not able (for whatever reason) to review an article, you can also delegate the task to another colleague. [Here](#) you can find more on this topic.





Screenshot: Here you can agree or disagree on an article, or delegate the review

Approving an article

If the approval mechanism was activated in your wiki, the article to review might still be a draft or even a first draft, which can not be seen by other users. You can easily see if an article was already approved by looking at its statebar. Here you will find one of three color markings:

Color and description	Meaning
 Freigegeben	Approved articles have been checked and approved by a user with revision rights.

Color and description	Meaning
 Erstentwurf (Freigegeben)	A first draft of an article will only be visible for all users when it was approved by an authorized user.
 Entwurf (Freigegeben)	<p>A draft will be created when an already approved article is edited by a user without revision rights. This draft can not be seen by other users without revision rights; they will see the last approved version instead. If a draft exists, users with relevant rights will see a new tab <i>Draft</i> over the statebar of an article. Here the draft will be shown for approval.</p> <p>Please note: the draft version of an article can be chosen by users as the standard view, so that when calling up a changed article, the draft will be shown instead of the last approved version. The tab <i>Draft</i> will still be available. To use this standard view, the user has to answer the question <i>When to show the stable version of content pages by default</i> (found in the user preferences under the tab <i>Edit review</i>) with <i>Always show the latest version</i>.</p>

You can approve an article by clicking on the link *Approve* beside the color marking in the statebar.

Please note: articles created or changed by users with the right `autoreview` will be automatically approved on saving.

Additional features

View your own reviews

If you were appointed reviewer in a workflow, an eye icon will appear next to your user profile. The numbers beside the icon show on the one hand the number of workflows you are part of (left column), on the other hand the number of workflows you already finished (right column).



A click on the icon will show you your personal overview page, where all workflows are listed that you are part of.

SPECIAL PAGE


Reviews of Jane Editor (JaneEditor)

Page	Owner	Assessors	State	Start	End
Hauptseite	WikiSysop	Jane Editor () Jake Senior ()	Accepted: 0/2 Pending	04.04.2016	11.04.2016
TestSeite	WikiSysop	Jane Editor ()	Accepted: 0/1 Expired	02.03.2016	09.03.2016
Ziele und Grundlagen	WikiSysop		Accepted: 0/2	26.02.2016	04.03.2016

Screenshot: The overview page shows all active workshops

Delegate workflows


You can delegate the review of an article to another user in the statebar.



Screenshot: Choose a colleague you want to delegate the review to

If a delegation is activated, the delegate and the workflow initiator will be informed via email.

After the delegate reviewed the article like a "normal" reviewer, he can redelegate the workflow via a link in the statebar to the original reviewer.



Screenshot: One-click redelegation

The reviewer and the initiator of the workflow will be informed via email about this as well.


Monitor progress

After you started a workflow, you will be informed on a regular basis via email about new developments in the review process. The progress and the current status of all existing workflows can be seen on the special page `Special:Review`.

Approval in the version history

The approval of an article is also commented in the version history. This enables you to find out - even after several editings and approvals - which user approved which version when. Just click on the tab *Version History* on the upper right corner of the article. Versions with approval will be marked with *approved by*, followed by the respective user name.

By the way: If the extension **VisualDiff** is also installed in your wiki, approved versions are marked green in the version history.



Special pages

For a better overview and usability, the package **Teamwork** installs the following special pages:

Page	Description
<code>Special:UnreviewedPages</code>	Here you will find all articles that are marked as <i>First Draft</i> and still have to be reviewed and approved.
<code>Special:Pages_with_unreviewed_versions</code>	Here you will find all articles that are marked as <i>Draft</i> . This means that there are several parallel versions of article, which have to be reviewed and approved.
<code>Special:Review</code>	On this page you will find an overview of all active workflows in the wiki.

Page	Description
<code>Special:Review/Pagename</code>	This page will show you the review workflow of the respective page.

Working hints

- Create a flowchart for typical processes within your organization.
- Think about it: which user groups need which rights in your wiki? This has e.g. influence on who will be able to approve articles later on.
- Which content is compulsory? This means that once it is public, it will be binding. This is often the case with organizational handbooks, where it is very important to use approval mechanisms, because a simple review won't be enough. Instead, someone who is responsible for the content of this area should control and approve version changes. Then, once the article is marked as *approved*, it will be an up-to-date and binding version.
- Is there content where free editing is desired? When there is a standard approval process, this could otherwise lower the impetus of users to edit content.
- Do you want to further distinguish between different possibilities to review an article? Should there be e.g. responsible editors for certain parts of the content? In that case it might be worth to take a look at [Responsible Editors](#).
- Remember to set "Review" rights in the [Permission Manager](#) and grant these rights to the respective user groups in the [Group Manager](#).
- If applicable, create first workflow templates, to save time later. This is especially handy when certain users have the same task in the workflow of several articles.
- Remember to advise your reviewers to check the [Email notifications](#) in their user profile.

Administration

Which rights can be granted?

The following rights concern **Teamwork**:


Right	Function
review	The user can view and approve draft versions.
validate	This right is used by BlueSpice in a modified way, but is not relevant for the use of <i>FlaggedRevisions</i> .
autoreview	Changes done by a user will automatically be approved. Please note: in addition to granting this right, the administrator also has to activate the function by checking the entry <i>Enable auto review</i> in the preferences of <i>FlaggedRevsConnector</i> .
	This right is used by BlueSpice in a modified way, but is not relevant

Right	Function
stablesettings	for the use of FlaggedRevisions.
unreviewedpages	The user can see the special page <code>Special:UnreviewedPages</code> .
workflowview	The user can see the workflow of an article; display of the <i>Eye</i> icon
workflowedit	Create, edit, change and delete a workflow
workflowlist	The user can see the workflow overview on <code>Special:Review</code>

Activate FlaggedRevisions in namespaces

After the installation of **FlaggedRevisions** the approval mechanism will not be available at once, as it has to be activated first. This activation can be done for each namespace separately, as it is not wise to activate **FlaggedRevisions** in every namespace (there should be e.g. no need to approve discussions).

You can activate the function in the namespace manager in the administration area of your wiki.



You will find that the column *FlaggedRevs* will be deactivated for all namespaces by default. Highlight the namespace you want to activate the approval mechanism for, and click on the edit button. In the pop-up window, check the entry *FlaggedRevs*. Click on *Ok* to activate the function in the namespace.

Additional user groups

The extension **FlaggedRevisions** automatically creates additional user groups that will also be listed in the **Group Manager**. These groups are so-called system groups and can not be edited.

The following groups are available:

Group	Rights granted	Definition
autoreview	autoreview	Users in this group get the right <code>autoreview</code> , i.e. changes by these users will be automatically approved.
editor	autoreview, review, unreviewedpages	Users in this group get the right <code>autoreview</code> , i.e. changes by these users will be automatically approved. They can also view drafts and see the special page listing the unreviewed pages.
reviewer	autoreview, review, unreviewedpages, validate	Users in this group get the right <code>autoreview</code> , i.e. changes by these users will be automatically approved. They can also view and approve drafts and see the special page listing the unreviewed pages.

You can use these groups and assign users to grant them the respective rights mentioned.

Notifications for reviewers

Reviewers will be (if applicable in the order given in the workflow) informed of a new review task, either via email or an wiki-internal notification.

To be able to receive notifications, the following settings must be activated:

- In the tab *BlueSpice*:



Einstellungen

Benutzerdaten Aussehen Bearbeiten Letzte Änderungen Beobachtungsliste Suche **BlueSpice** Benachrichtigungen Seitenanzeige

BlueSpice

Profilbild

☐ Namensräume alphabetisch sortieren

Begutachtung


☒ Bei Änderungen einer Begutachtung den Besitzer benachrichtigen

☒ Bei Änderungen einer Begutachtung den Begutachter benachrichtigen

Benutzer Sidebar

Screenshot: Settings in the tab *BlueSpice*

- In the tab *Notifications*:



Benachrichtigungen

	Web	Email
Talk page message	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Administration task performed	<input type="checkbox"/>	<input type="checkbox"/>
Action on subscribed page	<input type="checkbox"/>	<input type="checkbox"/>
Mention	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Page link	<input type="checkbox"/>	<input type="checkbox"/>
Edit revert	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Review - Actions	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Review - Assignments	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Notification for mention in a shout	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Responsible editors - Assignments	<input type="checkbox"/>	<input type="checkbox"/>
Responsible editors - Actions	<input type="checkbox"/>	<input type="checkbox"/>

Screenshot: Settings in the tab *Notifications*

Further settings

The package **Teamwork** offers the following settings for administrators:

- In the tab *Review*:
 - **Only the owner of a review can change it**
 - **Notify the owner of a review about changes**
 - **Notify the reviewer of a review about changes**

The type of notification can be configured in the user preferences in the tab *Notifications*:

- In the tab *FlaggedRevsConnector*:
 - **Enable Autoreview**: Uncheck here if you want to deactivate the right `autoreview` in the wiki
 - **Show unstable pages for following groups**: Highlight all user groups here that should be able to see pages that have not been approved yet
 - **Indexing only stable versions**: Check here if you want only approved articles to be indexed
 - **UEModulePDF: Show FlaggedRevs info below main heading**: This concern the release of the article as pdf file. Check here if you want to show in the file that the article is an approved version.

If the package **Bookmaker** is installed in your wiki, you will also find the following settings:

- **Bookshelf: List articles without FlaggedRevs**
- **Bookshelf: List articles without stable revision**
- **Bookshelf: List approved revision log**

Troubleshooting

Problem: There is still a review button, although the corresponding workflow was already deleted.

Solution: Please erase your Browser Cache.

Problem: There is no *FlaggedRevs* column in the namespace manager.

Solution: Move your mouse to any column title shown. Click on the appearing arrow to open a drop-down menu. In the submenu *Columns* you will find an entry for *FlaggedRevs*. Mark it to add the column.

Problem: A review task was given, but the *Eye* symbol doesn't show.

Solution: Please check if the user has the `workflowview` right. To view the list of all given review tasks, the user also needs the right `workflowlist`.

Problem: The right `autoreview` is granted, but the automatic approval doesn't work.

Solution: The function has to be activated by the administrator of the wiki. This can be done in the settings under *FlaggedRevsConnector* by setting a mark with the option *Enable auto review*.

Even more quality assurance with additional extensions

The following extensions are not part of **Teamwork** and are not needed for it to work properly. However, they can support and enhance the functionality:

- **Reminder**, to mark articles as *expired* and bring them to resubmission
- **ResponsibleEditors**, to give individual users direct responsibility for the quality of content for individual articles
- **VisualDiff**, to compare different versions of an article easier and more clearly

The BlueSpice package **Teamwork** is part of [BlueSpice pro](#). It can also be purchased as an extension package in the [Shop](#).