

Contents

1. Extensions/BookshelfUI	2
2. Manual:Extension/BlueSpiceBookshelf	8
3. Manual:Extension/BookshelfUI	21
4. Manual:Extension/ExtendedSearch	28
5. Reference:BookshelfUI	28

Extensions/BookshelfUI

Redirect to:


- [Manual:Extension/BlueSpiceBookshelf](#)

Contents

1 About books	23
2 Characteristics of books	23
3 Creating a book	23
4 Editing a book	25
5 Deleting a book	26
6 Duplicating a book	27
7 Related info	28

About books

With BlueSpice Pro, you can assemble individual wiki pages into a book. When you access a page that is part of a book, the main navigation is replaced by the book navigation:



In book mode, you can read through a collection of pages in a linear fashion by moving through the book navigation. This is useful if you have lots of related pages that should be read in a particular order. And it makes it easy to write documentation and to comply with your documentation standards.

Characteristics of books

Before you create a book from your wiki pages, consider the following main characteristics of books:


- Each wiki page can only be part of one book
- When a page is part of a book and a user navigates to it, it always jumps directly to the book navigation.
- Books can easily be converted into PDF format

Therefore, you want to create wiki pages that are exclusively part of a book if you use the book function of your wiki.

Creating a book


To create a book:

1. **Go to** *Global actions > Book manager*.



2. **Select** the *Create (+)* button.
3. **Enter** a *Book title* and the *Type of the book*:
 - *General books*: Visible to all users. It should have a book navigation.
 - *Own books*: Books only visible to me. Please note that pages in your own books can also only be in one book. If another user includes the same page in their own book, the page will "jump" to the book navigation of the user who last included the page in their book and saved it with the optional book navigation. It is therefore important to include only your own pages in your own books, unless you do not create the optional book navigation when you save your book. A good way of making your own books is by using subpages from your own user profile page in the namespace *User*.
4. **Click** *Done*. You now have created an empty book.


You can take the following actions on a book:



- **Edit** (1): Links to the Book editor where you can edit the book contents and metadata.
- **Delete** (2): Deletes the book without deleting the wiki pages.
- **Duplicate** (3): Duplicates this book, including all the pages of the book.
- **Export** (4): Exports the wiki pages in this book to PDF.
- **Assign** (5): Assigns the book to designated users.


Editing a book

After you have created the book, click on the name of the book. This opens the *Book Editor*:




- **Book Manager** (1): Link to the main *Book manager* page.
- **Show source wikipedia** (2): Opens the book navigation page in view mode.
- **Edit source wikipedia** (3): Opens the book navigation page in edit mode.
- **Add page** (4): Button for adding a page.
- **Mass-add pages** (5): Button for adding a set of pages (by category, subpages of a page, [page collection](#), or semantic property). **Remove page** (6): Removes the selected pages.
- **Manage metadata** (7): Add or remove metadata.
- **Export selection** (8): Exports the selected pages to a PDF file.
- **Book contents** (9): Shows all pages in the book hierarchy. Pages can be arranged by drag-and-drop. A multi-level organization is possible.

After adding pages to your book, you save the changes. When you click on *Save*, you have the option to also create the book navigation. If you want to add a book navigation tag to each wiki page, click *Save and add book navigation to each wikipedia* instead:




When you add the book navigation to a wiki page, the corresponding *bookshelf* tag is added in its source code. In addition the page title now always includes the numbering from the book navigation:



Deleting a book


When you delete a book, you only remove the book information from Book manager. The wiki pages in the book, however, are not deleted. Before you delete the book, you are informed in a pop-up menu that the bookshelf tag is not automatically removed from the pages:



The bookshelf tags have no effect on the wiki pages after deleting the book. If you want to remove them manually, you can go to the page *Special:ReplaceText* and do a find and replace.

Duplicating a book

You can create an entire copy of the book by duplicating it:



To duplicate a book:

1. **Enter** a *target name*: The default value is the book name with the suffix (*copy*). Change this to create a different book title.
2. **Select** a *namespace*: Choose a namespace that is different from the original namespace.

If you are not careful, you might experience some unintended consequences. By creating a new book, you also create copies of all the wiki pages in the original book. Since a namespace cannot contain the same page twice, you have to copy the files to a different namespace.

About the duplicated files:

- **Book file:** A new page in the namespace book. If you don't enter a new title, the book will be created with the same title and the suffix (*Copy*). *E.g. Employee Manual (Copy)*. This file includes a copy of the structure of your original book with the corresponding links to the duplicated pages in the new copy.

- **Book pages:** All pages contained in the original book are duplicated. The following scenarios are possible:
 - **Same namespace:** If you duplicate a book in the same namespace, no actual duplicates of the actual wiki are created. Instead, the bookshelf tag is updated to point to the copy of the book. For example, if your original book contains the page *HR:Quality assurance* (the book is in the namespace HR), the *Quality assurance* page now contains the bookshelf tag `<bs:bookshelf src="Book:Employee Manual (Copy)" />`.
 - **Different namespace:** If you create the book copy in a different namespace, the bookshelf tag in the original files remains unchanged. The new pages in the different namespace are created with a bookshelf tag for the new book copy. This is most likely the scenario you want.

Related info

- [Reference:BookshelfUI](#)

Books

A [quality version](#) of this page, [approved](#) on *1 October 2021*, was based off this revision.

The extensions **Bookshelf** and **BookshelfUI** expand the BlueSpice distribution, combining wiki pages into a structured book with chapter navigation. These books can also be printed as a PDF file with a cover page and a clickable table of contents


Contents

1 Characteristics of books	10
2 Book manager	10
3 Creating a book	11
3.1 General books	12
3.2 Own books	12
3.3 Temporary books	12
4 The book editor	12
4.1 Mass-adding pages	13
4.2 Creating the chapter navigation	14
5 Editing a book	15
5.1 Inserting meta data	16
5.2 Adding a cover image	16
6 Exporting books	16
7 Configuration	17
7.1 Display options	17
7.1.1 Export options	19
7.2 Configuring the file size limits (server)	19
8 Deleting a book	19
9 Duplicating a book	20

10	Permissions	21
11	Tips for working with books	21
12	Related info	21


Characteristics of books

With BlueSpice Pro, you can assemble individual wiki pages into a book. In a book, you can read through a collection of pages in a linear fashion by moving through the book navigation. This is useful if you have lots of related pages that should be read in a particular order. And it makes it easy to write documentation and to comply with your documentation standards. All the books that are available on the wiki are accessible through the left navigation menu, tab "Books" with the book icon. Books are displayed as list or grid view. Clicking on a book opens the selected book. Once the book is opened, its chapter navigation appears in the left navigation.



Book manager


The menu item *Global Actions > Book manager* loads the page `Special:BookshelfBookManager`. Here, you can add a new book by clicking the *plus* button.



Book manager

You can take the following actions on a book:

- [Editing a book](#) (1): Links to the Book editor where you can edit the book contents and metadata.
- [Deleting a book](#) (2): Deletes the book page in the namespace *Book* **without** deleting the wiki pages.
- [Duplicating a book](#) (3): Duplicates this book, including all the pages of the book.
- [Export](#) (4): Exports the wiki pages in this book to PDF.
- [Assign](#) (5): Assigns the book to designated users.




Actions in the book manager

Creating a book

To create a book:

1. **Go to** *Global actions > Book manager*.
2. **Select** the *Create (+)* button.

3. **Enter** a *Book title* and the *Type of the book*:
 - *General books*: Visible to all users. It should have a book navigation.
 - *Own books*: Books only visible to me.
4. **Click Done**.



General books

General books are visible to all users and are usually characterized by their additionally generated book navigation.

Own books

Own books are only visible in the book list to the book creator. You cannot create chapter navigation in the navigation bar for your own books. However, like general books, your own books can be exported as a PDF with a title page.


Temporary books

This selection is available to wiki users who are logged in or not logged into the wiki. These books are only temporarily stored in the user's browser and not in the wiki itself. If the browser cache is deleted or the user switches to another browser, the book is no longer available. The main aim of temporary books is to enable users to print out a book as a PDF.

A chapter navigation cannot, therefore, be created for temporary books.

The book editor

After that, the book editor opens. Here you can add pages to your book by clicking the *plus* button. A dialog opens, where you can select the pages you want to add to your book. You can also enter the name of a page that doesn't yet exist.




Mass-adding pages

After clicking "Mass add", a dialog is opened. It contains different criteria for page selection:

- All pages of a category
- All subpages of a certain page
- From a page collection - page collections are lists of pages located in the MediaWiki namespace. They are usually created from [search results](#).
- By a semantic property - pages can be selected based on the value of a certain semantic property.


After adding your book pages click Save at the bottom of the page. Now you have created a page in the namespace Book. It contains the list of pages that have been added to the book.




Creating the chapter navigation

After saving a book page, you have created a wiki page in the namespace *Book* which contains a list of links to the wiki pages in the book. The chapter navigation is generated separately.

To add the chapter navigation, go back to the book page in the book manager. Clicking on the book title opens the book page in the book editor. Scroll down to the *Save* button and select the drop-down arrow. Click *Save and add book navigation to each wiki page*.



This adds a bookshelf tag in the source code of all wiki pages that are part of this book. The tag, therefore, defines which book this page belongs to: `<bookshelf src="Book:EmployeeManual" />`.



Note: If you later add more pages to a book, you have to generate the chapter navigation again. Without this step, the newly added pages will not have a bookshelf tag and therefore not be shown in the chapter navigation of the book. If you only added one or two new pages, you can also add the bookshelf tag manually to the source code of these new pages.

Important! Each wiki page can only be added to one book. If a page later is added to another book with chapter navigation, the page always leads to the chapter navigation of the book that last generated or updated its chapter navigation.

Editing a book

After you have created the book, click on the name of the book. This opens the *Book Editor*.

Editing a book is similar to creating a new book regarding adding pages to the book. Pages can also be removed from a book by right-clicking on the page name and selecting *Delete from book* (this will not delete the wiki page itself). Chapters - and the general book structure - can be rearranged by dragging and dropping pages in the book structure. By dragging and dropping Page A over Page B, Page A will be placed underneath Page B in the book hierarchy.

Book Editor: Employee Manual

Book Manager | Show source wiki page | Edit source wiki page

4 5 6 7 8 Export selection

Employee Manual

1. Goals and Principles

2. Vacation Provisions

Book editor in BlueSpice 3.1

- **Book Manager** (1): Link to the main *Book manager* page (only up to v3.1).
- **Show source wiki page** (2): Opens the book navigation page in view mode (only up to v3.1)..
- **Edit source wiki page** (3): Opens the book navigation page in edit mode (only up to v3.1)..
- **Add page** (4): Button for adding a page.
- **Mass-add pages** (5): Button for adding a set of pages (by category, subpages of a page, [page collection](#), or semantic property).
- **Remove page** (6): Removes the selected pages.
- **Manage metadata** (7): Add or remove metadata.
- **Export selection** (8): Exports the selected pages to a PDF file.
- **Book contents** (9): Shows all pages in the book hierarchy Pages can be arranged by drag-and-drop. A multi-level organization is possible.

Inserting meta data

While editing a book (adding or removing pages), meta-data for the book can be added. To edit metadata, select top-most node of the book (first page) and click the wrench icon. A dialog will be opened where various meta-data can be added or removed. Some of the most important meta-data include:

- Title
- Subtitle
- Author 1 and 2
- Document-ID
- Document type
- Department
- Version
- Template (PDF)
- Table of Contents (Only article titles, or Embed article TOCs)


Adding a cover image

To add a cover photo for the book, add a metadata item *Bookshelf image*. Select this option from the dropdown and click *Add*. Once the meta data is added enter the name of the image in the value field. Any image currently uploaded to the wiki can be used. Type the name without the "File:" prefix (enter the image name and file extension).

Exporting books

You can export an entire book, individual chapters or single pages as PDF:


- Open the book in the book editor.
- Select all pages or chapters you want to export by clicking the associated checkboxes. Subchapters will be automatically selected.
- Clicking on the "Export selection" dropdown menu opens a list of available formats. By clicking on one of the formats offered the book export starts.




Configuration

Display options

- **Show book chapter pager after content:** Displays previous/next book page navigation at the end of each book page. (1)
- **Show book chapter pager before content:** Displays previous/next book page navigation at the beginning of each book page. (2)



- **Use the display title from book source on article:** Shows the title from the book navigation as page title instead of the page name.



Note: If the page additionally contains a `{{DISPLAYTITLE}}` tag, the display title of the page is shown instead of the book title.

- Prepend article table of contents and headlines with book numeration
- Suppress namespace prefix of book articles in output

Export options

Extension:DynamicPageList (DPL), version 3.3.2: Warning: No results.

Configuring the file size limits (server)

By default, the book export is limited to 50MB in file size. To adjust this value, complete the following steps:

1. In Apache Tomcat, open the file *web.xml*:

```
sudo -s  
nano /opt/tomcat/webapps/manager/WEB-INF/web.xml
```

2. Look for the following lines and adjust the value (e.g. for 250MB=26214400)

```
<max-file-size>262144000</max-file-size>  
<max-request-size>262144000</max-request-size>
```

3. The web app BShtml2PDF also has a setting that needs to be adjusted:

```
nano /opt/tomcat/webapps/BShtml2PDF/WEB-INF
```

4. Enter your values in the following lines:


```
<param-name>maxMemSize</param-name> <param-value>26214400</param-value>  
<param-name>maxFileize</param-name> <param-value>26214400</param-value>
```

5. Apache Tomcat neu starten

```
service tomcat restart
```

Deleting a book

When you delete a book, you only remove the book page in the namespace *Book* from the Book manager. The wiki pages in the book, however, are not deleted. Before you delete the book, you are informed in a pop-up menu that the bookshelf tag is not automatically removed from the pages:



The bookshelf tags have no effect on the wiki pages after deleting the book. If you want to remove them manually, you can go to the page *Special:ReplaceText* and do a find and replace to delete the booktag from the pages.


Duplicating a book

You can create an entire copy of the book by duplicating it:

To duplicate a book:

1. **Enter** a *target name*: The default value is the book name with the suffix (*copy*). Change this to create a different book title.
2. **Select** a *namespace*: Choose a namespace that is different from the original namespace.

If you are not careful, you might experience some unintended consequences. By creating a new book, you also create copies of all the wiki pages in the original book. Since a namespace cannot contain the same page twice, you have to copy the files to a different namespace.



About the duplicated files:

- **Book page:** A new page in the namespace book. If you don't enter a new title, the book will be created with the same title and the suffix (*Copy*). E.g. *Employee Manual (Copy)*. This file includes a copy of the structure of your original book with the corresponding links to the duplicated pages in the new copy.

- **Wiki pages:** All pages contained in the original book are duplicated. The following scenarios are possible:
 - **Same namespace:** If you duplicate a book in the same namespace, no actual duplicates of the actual wiki are created. Instead, the bookshelf tag is updated to point to the copy of the book. For example, if your original book contains the page *HR:Quality assurance* (the book is in the namespace HR), the *Quality assurance* page now contains the bookshelf tag `<bs:bookshelf src="Book:Employee Manual (Copy)" />`.
 - **Different namespace:** If you create the book copy in a different namespace, the bookshelf tag in the original files remains unchanged. The new pages in the different namespace are created with a bookshelf tag for the new book copy. This is most likely the scenario you want.

Permissions

To create and edit books, users need *edit* rights in Book namespace. Additionally, a user can only add pages to the book that that user can read. If a user tries to export a book to PDF that contains pages for which the user does not have permissions, the user will get an error message.

Tips for working with books

- Use a competent team to decide on the content that should be transferred into an online book.
- Decide on how to handle existing numerations or references.
- Seize the opportunity: Get rid of unnecessary content (or don't include it in your book).
- Decide on standards for documents: When does it make sense to link documents in the wiki? When is it sensible to include the document's content into a wiki article?
- Decide on a fitting course of action: Do you want to create the articles in the wiki first, and compile them in a book structure afterwards, or do you want to create the book structure first, and create and edit the articles contained gradually?

Related info

- [Reference:BlueSpiceBookshelf](#)
- [Reference:BlueSpiceBookshelfUI](#)
- [Customizing page breaks](#)

Books

Redirect to:


- [Manual:Extension/BlueSpiceBookshelf](#)

Contents

1 About books	23
2 Characteristics of books	23
3 Creating a book	23
4 Editing a book	25
5 Deleting a book	26
6 Duplicating a book	27
7 Related info	28

About books

With BlueSpice Pro, you can assemble individual wiki pages into a book. When you access a page that is part of a book, the main navigation is replaced by the book navigation:



In book mode, you can read through a collection of pages in a linear fashion by moving through the book navigation. This is useful if you have lots of related pages that should be read in a particular order. And it makes it easy to write documentation and to comply with your documentation standards.

Characteristics of books

Before you create a book from your wiki pages, consider the following main characteristics of books:


- Each wiki page can only be part of one book
- When a page is part of a book and a user navigates to it, it always jumps directly to the book navigation.
- Books can easily be converted into PDF format

Therefore, you want to create wiki pages that are exclusively part of a book if you use the book function of your wiki.

Creating a book


To create a book:

1. **Go to** *Global actions > Book manager*.



2. **Select** the *Create (+)* button.
3. **Enter** a *Book title* and the *Type of the book*:
 - *General books*: Visible to all users. It should have a book navigation.
 - *Own books*: Books only visible to me. Please note that pages in your own books can also only be in one book. If another user includes the same page in their own book, the page will "jump" to the book navigation of the user who last included the page in their book and saved it with the optional book navigation. It is therefore important to include only your own pages in your own books, unless you do not create the optional book navigation when you save your book. A good way of making your own books is by using subpages from your own user profile page in the namespace *User*.
4. **Click** *Done*. You now have created an empty book.


You can take the following actions on a book:



- **Edit** (1): Links to the Book editor where you can edit the book contents and metadata.
- **Delete** (2): Deletes the book without deleting the wiki pages.
- **Duplicate** (3): Duplicates this book, including all the pages of the book.
- **Export** (4): Exports the wiki pages in this book to PDF.
- **Assign** (5): Assigns the book to designated users.


Editing a book

After you have created the book, click on the name of the book. This opens the *Book Editor*:




- **Book Manager** (1): Link to the main *Book manager* page.
- **Show source wikipedia** (2): Opens the book navigation page in view mode.
- **Edit source wikipedia** (3): Opens the book navigation page in edit mode.
- **Add page** (4): Button for adding a page.
- **Mass-add pages** (5): Button for adding a set of pages (by category, subpages of a page, [page collection](#), or semantic property). **Remove page** (6): Removes the selected pages.
- **Manage metadata** (7): Add or remove metadata.
- **Export selection** (8): Exports the selected pages to a PDF file.
- **Book contents** (9): Shows all pages in the book hierarchy. Pages can be arranged by drag-and-drop. A multi-level organization is possible.

After adding pages to your book, you save the changes. When you click on *Save*, you have the option to also create the book navigation. If you want to add a book navigation tag to each wiki page, click *Save and add book navigation to each wikipedia* instead:




When you add the book navigation to a wiki page, the corresponding *bookshelf* tag is added in its source code. In addition the page title now always includes the numbering from the book navigation:



Deleting a book


When you delete a book, you only remove the book information from Book manager. The wiki pages in the book, however, are not deleted. Before you delete the book, you are informed in a pop-up menu that the bookshelf tag is not automatically removed from the pages:



The bookshelf tags have no effect on the wiki pages after deleting the book. If you want to remove them manually, you can go to the page *Special:ReplaceText* and do a find and replace.

Duplicating a book

You can create an entire copy of the book by duplicating it:



To duplicate a book:

1. **Enter** a *target name*: The default value is the book name with the suffix (*copy*). Change this to create a different book title.
2. **Select** a *namespace*: Choose a namespace that is different from the original namespace.

If you are not careful, you might experience some unintended consequences. By creating a new book, you also create copies of all the wiki pages in the original book. Since a namespace cannot contain the same page twice, you have to copy the files to a different namespace.

About the duplicated files:

- **Book file:** A new page in the namespace book. If you don't enter a new title, the book will be created with the same title and the suffix (*Copy*). E.g. *Employee Manual (Copy)*. This file includes a copy of the structure of your original book with the corresponding links to the duplicated pages in the new copy.

- **Book pages:** All pages contained in the original book are duplicated. The following scenarios are possible:
 - **Same namespace:** If you duplicate a book in the same namespace, no actual duplicates of the actual wiki are created. Instead, the bookshelf tag is updated to point to the copy of the book. For example, if your original book contains the page *HR:Quality assurance* (the book is in the namespace HR), the *Quality assurance* page now contains the bookshelf tag `<bs:bookshelf src="Book:Employee Manual (Copy)" />`.
 - **Different namespace:** If you create the book copy in a different namespace, the bookshelf tag in the original files remains unchanged. The new pages in the different namespace are created with a bookshelf tag for the new book copy. This is most likely the scenario you want.

Related info

- [Reference:BookshelfUI](#)

Manual:Extension/ExtendedSearch

Redirect to:

- [Manual:Extension/BlueSpiceExtendedSearch](#)

Reference:BookshelfUI

Redirect to:

- [Reference:BlueSpiceBookshelfUI](#)