

# Contents

1. Set up groups and namespaces	2
2. Manual:Extension/GroupManager	8
3. Manual:Extension/NamespaceManager	8
4. Manual:Extension/PermissionManager	8
5. Manual:Extension/UserManager	8



# Set up groups and namespaces

This howto explains how to set up namespaces and related groups, permissions and permission assignments to users in just a few steps.

## Contents

1 Use-Case	3
2 Affected Areas	
3 Steps	3
3.1 Set up namespaces	3
3.2 Set up groups	4
3.3 Permission assignment	5
3.4 Assign user to groups	6
3.4.1 Existing user	6
3.4.2 User to be created	7
4 See also	8



### **Use-Case**

We need namespaces and groups, if for example:

- in addition to a public space for general information, a room for internal information should also be set up, or
- if you have a special type of article (such as articles in a manual) that should be read by all registered users, but not edited by anyone, or
- if all changes to a particular group of articles are to be made in a draft version until they can be shared by an editor.

### **Affected Areas**

To configure the wiki appropriately, the following tools are required:

- Namespace Manager: Here, the namespace is first set up, in which the articles to be protected should be located (for example, "manual")
- Group Manager: Here the required groups are defined (for example manual editor)
- Permission Manager: These groups need rights that are assigned here
- User Manager: When everything is ready, you can assign the user the appropriate group rights here.

#### Steps

#### Set up namespaces

First, the namespace in the namespace management is set up in the Administration area (this requires administration rights).

Use the green plus symbol to add a new namespace..

#### Namespace manager

0	8												Export	t table $\lor$
ID	Namespace	Pages	S	S	C	C	S	P	R	R	R	S	F	Actions
0	(Pages)	415	~	~	~	×	×	4	~	×	×	1	×	
1	Talk	32	<b>v</b>	×	×	×	-	-	-	-	×	×	×	
2	User	10	<b>v</b>	×	×	×	×	~	×	×	×	<b>v</b>	×	
3	User_talk	0	<b>v</b>	×	×	×	-	-	-	-	×	×	×	
4	BlueSpice	0	<b>v</b>	×	×	×	×	~	×	×	×	<b>v</b>	×	
5	BlueSpice	0	<b>v</b>	×	×	×	-	-	-	-	×	×	×	
6	File	1018	×	×	×	×	×	×	×	×	×	<b>v</b>	×	
7	File_talk	0	<b>v</b>	×	×	×	-	-	-	-	×	×	×	
8	MediaWiki	13	~	×	×	×	×	×	×	×	×	×	×	



The dialog "*Add namespace*" opens, where the name of the namespace is entered and, if necessary, further namespace options are selected.

Cancel	Add namespace	Done
Namespace name:		
Subpages		
Search by default		
Content namespace		
CategoryCheck		
Secured pageassignments		
PageTemplates		
Rating		
Recommendations		
Read Confirmation		
Semantic MediaWiki		
FlaggedRevs		

More information about the Namespace Manager can be found in the corresponding page about the Namespace Manager in the manual.

### Set up groups

Next, the required groups are set up. Here too you will find the necessary administration page in the admin area of your wiki. For a new group, first click on the green plus symbol to open the "New group" dialog.

#### Group manager

	Export table $\lor$
Group	Actions
autoreview	
bot	
bureaucrat	
checkuser	
editor	
reviewer	
smwadministrator	

Then you just need to enter the desired group name.



	New group		$\otimes$
Group name:			
		Ok	Cancel

More information about Group Manager can be found in the corresponding page about the Group Manager in the manual.

### **Permission assignment**

Now comes the permission assignment in the Permission Manager. The Permission Manager is basically divided into three areas:

- 1. A section for the groups on the far left (which can be opened or closed by a click on the arrow symbol)
- 2. A division in which the permission are listed and selected (the permissions are again divided into " *Namespace specific permissions*" and "*Namespace independent permissions*")
- 3. A division in which namespaces and related permissions are selected. Here you can select a permission for a group either for the entire wiki or for a namespace.

## Permission manager

Save	ndo changes Export tabl	e 🗸				
Group	:editor		Role	Wiki	Namespaces (Pages)	
_	] user		reader			
	····· 🗅 autoreview		editor			
	🗋 bureaucrat		admin			
	🕒 checkuser 🗅 editor		bot			
	····  P reviewer		demo			
	🕒 smwadministrator		reviewer			
	····· 🗅 smwcurator ····· 🗅 sysop					
	widgeteditor					

If you would like to add exclusive permissions to a group on a namespace, you first select the desired group in the division for groups by clicking on them.

By clicking on the arrow symbol next to the heading for namespaces, a menu can be opened in which the needed namespaces can be selected by selecting a checkbox.



ermission mana	ader						^			
5										
Save Undo changes Export table $\checkmark$										
							User talk			
- 🗁 Group:editor	Role	Wiki		Namespaces			BlueSpice			
=-@•			(Pages)	Template	Help	Columns > 🛛 Namespace	s > BlueSpice talk			
= 🗁 user	reader					T Unlock	File			
- 🗋 autoreview	editor					🗊 Lock	File talk			
🗋 bot	admin						MediaWiki			
- 🗋 bureaucrat							MediaWiki talk			
- 🗋 checkuser	bot						🗹 Template			
🕒 editor	user						Template talk			
- 🗋 reviewer	demo						Help			
- 🗋 smwadministrator							Help talk			
- 🗋 smwcurator	reviewer						Category			
- 🗅 sysop							Category talk			
widgeteditor							Property			
							Property talk			
							Eorm			

Then you select the permissions that the currently selected group should receive exclusively via the checkboxes in the respective column of the namespace (Y-axis) for the respective desired permission (X-axis).

More information about Permission Manager can be found in the corresponding page about Permission Manager in the manual.

#### Assign user to groups

Finally, the users will be assigned to the groups. This can be realized either for existing users oder users to be created. For this, the User Manager is needed.

Special User manager								
• 🗶 😑 🖄	$\mathcal{P}$			Export table $\lor$				
Username	Real name	Email	Groups	Actions				
H WikiSysop			bureaucrat, sysop					
BSMaintenance			bot, bureaucrat, sysop					
+ Test								
// Page 1 of 1	$> \gg 1$ C			Displaying 1 - 3 of 3				

#### Existing user

To add an existing user to a group, click on the <u>s</u>-lcon for the group-selection in the row of the desired user account.

This will open the "Groups" dialog and a drop-down menu will list the groups in the system. A group can be selected by clicking on it.

This process can be done several times to add more than one group. Then the group selection can be saved with a click on the OK-button.

Cancel	Groups	Done
Groups:	Type to filter	$\sim$
	1 bureaucrat	8
	🧟 sysop	8

#### User to be created

BlueSpíce

If a user should be assigned to a group as soon as they are created, a click on the green plus symbol in the user administration is first required, which opens the "*Add user*" dialog.

In this dialog, you can assign the groups associated with the user in addition to the various user data at the bottom of the "*Groups*" drop-down menu.

Cancel	Add user	Done
Username:		
Password:		
Confirm password:		
Email:		
Real name:		
Enabled:		
Groups: Typ	e to filter	$\sim$

The drop-down menu has the same structure as the previous one for existing users: all groups in the system are listed, by clicking a group it will get selected, this process can be repeated several times if the user is to be assigned to several groups and finally the user and the group-assignments will be saved by clicking on the OK-Button.

More information on User Manager can be found in the corresponding page on the User Manager in the manual.



### See also

• Create new articles

## Manual:Extension/GroupManager

Redirect to:

Manual:Extension/BlueSpiceGroupManager

## Manual:Extension/NamespaceManager

Redirect to:

Manual:Extension/BlueSpiceNamespaceManager

## Manual:Extension/PermissionManager

Redirect to:

• Manual:Extension/BlueSpicePermissionManager

## Manual:Extension/UserManager

Redirect to:

Manual:Extension/BlueSpiceUserManager